American Journal of Physiology-Lung Cellular and Molecular Physiology

No. 1. JANUARY 2000

| - | - | 200 | \sim | 50% | A | ۰ |
|---|---|-----|--------|-----|---|---|
| | | | | | | |
| | | | | | | |

| Januar | y 2000! A. B. Malik, M. A. Matthay, I. F. McMurtry, B. R. Pitt, P. T. Schumacker, and R. D. Ye | L |
|---------------|--|------|
| | | |
| TNF-α in rats | stimulates alveolar liquid clearance during intestinal ischemia-reperfusion | |
| III I dus | A. Börjesson, A. Norlin, X. Wang, R. Andersson, and H. G. Folkesson | L |
| | orticoid-induced contractility and F-actin content of human lung fibroblasts e-dimensional culture H. Miki, T. Mio, S. Nagai, Y. Hoshino, T. Tsutsumi, T. Mikuniya, and T. Izumi | L1 |
| Is dipa | lmitoylphosphatidylcholine a substrate for convertase? R. Dhand, J. Young, A. Teng, S. Krishnasamy, and N. J. Gross | L1 |
| | nisms of GM-CSF increase by diesel exhaust particles in human airway | |
| epithel | ial cells S. Boland, V. Bonvallot, T. Fournier, A. Baeza-Squiban, M. Aubier, and F. Marano | L2 |
| | sed elastase release by CF neutrophils is mediated by tumor necrosis factor-α | |
| and int | cerleukin-8 C. Taggart, R. J. Coakley, P. Greally, G. Canny, S. J. O'Neill, and N. G. McElvaney | L3 |
| | ic acid-induced proliferation of lung alveolar epithelial cells is linked | |
| to p21 | E. Nabeyrat, S. Corroyer, R. Epaud, V. Besnard, V. Cazals, and A. Clement | L4 |
| | tion of SLPI and elafin release from bronchial epithelial cells | |
| by neu | trophil defensins S. van Wetering, A. C. van der Linden, M. A. J. A. van Sterkenburg, W. I. de Boer, A. L. A. Kuijpers, J. Schalkwijk, and P. S. Hiemstra | L5 |
| | n kinase C is involved in enhanced airway smooth muscle cell growth erresponsive rats M. E. Zacour and J. G. Martin | L5 |
| Lvenen | mes from rabbit type II cells catabolize surfactant lipids | 1.0 |
| Lly 3030 | E. D. Rider, M. Ikegami, K. E. Pinkerton, J. L. Peake, and A. H. Jobe | L6 |
| IL-4 in | creases surfactant and regulates metabolism in vivo M. Ikegami, J. A. Whitsett, Z. C. Chroneos, G. F. Ross, J. A. Reed, C. J. Bachurski, and A. H. Jobe | L7 |
| | tion of NOS enhances pulmonary vascular changes in stroke-prone spontaneously ensive rats | |
| | R. Mathew, N. YT. Fan, N. Yuan, P. N. Chander, M. H. Gewitz, and C. T. Stier, Jr. | L8 |
| | ced anti-influenza activity of a surfactant protein D and serum conglutinin | |
| rusion | protein K. L. Hartshorn, K. N. Sastry, D. Chang, M. R. White, and E. C. Crouch | L9 |
| | orf modulates cAMP accumulation in human monocytes through a membrane- lled mechanism | |
| 001101 01 | F. Pinot, H. Walti, H. P. Haagsman, B. S. Polla, and M. Bachelet | L9 |
| | neuronal nitric oxide synthase in regulation of vascular and ductus arteriosus the ovine fetus | |
| | R. L. Rairigh, L. Storme, T. A. Parker, T. D. Le Cras, N. Markham, M. Jakkula, | T.10 |

| | Association of L-arginine transporters with fodrin: implications for hypoxic inhibition of arginine uptake S. I. Zharikov and E. R. Block | L111 |
|-----------|--|-------|
| | Capacitative Ca ²⁺ entry and tyrosine kinase activation in canine pulmonary arterial | 2111 |
| | smooth muscle cells S. Doi, D. S. Damron, M. Horibe, and P. A. Murray | L118 |
| | Cell growth modulates nitric oxide synthase expression in fetal pulmonary artery endothelial cells | T 101 |
| | J. A. Whitney, Z. German, T. S. Sherman, I. S. Yuhanna, and P. W. Shaul | L131 |
| | β-Adrenergic agonist modulation of monocyte adhesion to airway epithelial cells in vitro D. J. Romberger, P. Heires, S. I. Rennard, and T. A. Wyatt | L139 |
| | Posttranscriptional regulation of plasminogen activator inhibitor-1 in human lung carcinoma cells in vitro S. Shetty and S. Idell | L148 |
| | Mobilization of intracellular $\mathrm{Ca^{2+}}$ by endothelin-1 in rat intrapulmonary arterial smooth muscle cells | |
| | L. A. Shimoda, J. T. Sylvester, and J. S. K. Sham | L157 |
| | Differentiated and functional human airway epithelium regeneration in tracheal xenografts | |
| | F. Dupuit, D. Gaillard, J. Hinnrasky, E. Mongodin, S. de Bentzmann, E. Copreni, and E. Puchelle | L165 |
| | Early expression of β - and γ -subunits of epithelial sodium channel during human airway development | |
| | D. Gaillard, J. Hinnrasky, S. Coscoy, P. Hofman, M. A. Matthay, E. Puchelle, and P. Barbry | L177 |
| | Agarose plug instillation causes goblet cell metaplasia by activating EGF receptors in rat airways | |
| | HM. Lee, K. Takeyama, K. Dabbagh, J. A. Lausier, I. F. Ueki, and J. A. Nadel | L185 |
| | Mast cell tryptase stimulates human lung fibroblast proliferation via protease-activated receptor-2 | |
| | I. A. Akers, M. Parsons, M. R. Hill, M. D. Hollenberg, S. Sanjar, G. J. Laurent, and R. J. McAnulty | L193 |
| | Developmental changes in endothelial nitric oxide synthase expression and activity in ovine fetal lung T. A. Parker, T. D. Le Cras, J. P. Kinsella, and S. H. Abman | L202 |
| | Airway fibrosis in rats induced by vanadium pentoxide J. C. Bonner, A. B. Rice, C. R. Moomaw, and D. L. Morgan | L209 |
| | Vascular expression of the $\alpha_v\beta_3$ -integrin in lung and other organs B. Singh, C. Fu, and J. Bhattacharya | L217 |
| No. 2. FI | EBRUARY 2000 | |
| | EDITORIALS | |
| | Seven years at the wheel $D. E. Rannels$ | L227 |
| | An appreciation: Eugene Rannels A. B. Malik | L229 |
| | INVITED EDITORIAL | |
| | How does cAMP increase active Na absorption across alveolar epithelium? $J.\ H.\ Widdicombe$ | L231 |

Mechanisms of increased Na⁺ transport in ATII cells by cAMP: we agree to disagree and do more experiments A. Lazrak, V. G. Nielsen, and S. Matalon L233

| Effect of steroid on hyperoxia-induced ICAM-1 expression in pulmonary endothelial cells Y. Suzuki, K. Nishio, K. Takeshita, O. Takeuchi, K. Watanabe, N. Sato, K. Naoki, H. Kudo, T. Aoki, and K. Yamaguchi | L245 |
|---|------|
| Hyperoxia synergistically increases TNF-α-induced interleukin-8 gene expression in A549 cells | |
| G. L. Allen, I. Y. Menendez, M. A. Ryan, R. L. Mazor, J. R. Wispé, M. A. Fiedler, and H. R. Wong | L253 |
| High K ⁺ -induced membrane depolarization attenuates endothelium-dependent pulmonary vasodilation J. E. Seiden, O. Platoshyn, A. E. Bakst, S. S. McDaniel, and J. XJ. Yuan | L261 |
| PAF-induced synthesis of tetraenoic and pentaenoic leukotrienes in the isolated rabbit lung | 1201 |
| F. Grimminger, K. Mayer, L. Kiss, D. Walmrath, and W. Seeger Decreased synthesis and vasodilation to nitric oxide in piglets with hypoxia-induced | L268 |
| pulmonary hypertension J. W. Berkenbosch, J. Baribeau, and T. Perreault cDNA-RDA of genes expressed in fetal and adult lungs identifies factors important | L276 |
| in development and function P. Cooper, B. Mueck, S. Yousefi, S. Potter, and G. Jarai | L284 |
| Energy state, pH, and vasomotor tone during hypoxia in precontracted pulmonary and femoral arteries | |
| R. M. Leach, D. W. Sheehan, V. P. Chacko, and J. T. Sylvester Phospholipid molecular species of bronchoalveolar lavage fluid after local allergen | L294 |
| challenge in asthma E. L. Heeley, J. M. Hohlfeld, N. Krug, and A. D. Postle | L305 |
| Heme oxygenase-1 inhibits TNF- α -induced apoptosis in cultured fibroblasts I. Petrache, L. E. Otterbein, J. Alam, G. W. Wiegand, and A. M. K. Choi | L312 |
| Electrical behavior of guinea pig tracheal smooth muscle $N.\ J.\ Bramich$ | L320 |
| Prenyltransferase inhibitors block superoxide production by pulmonary vascular smooth muscle A. Boota, B. Johnson, KL Lee, M. A. Blaskovich, SX. Liu, V. E. Kagan, A. Hamilton, B. Pitt, S. M. Sebti, and P. Davies | L329 |
| Epoxyeicosatrienoic acids constrict isolated pressurized rabbit pulmonary arteries D. Zhu, M. Bousamra II, D. C. Zeldin, J. R. Falck, M. Townsley, D. R. Harder, R. J. Roman, and E. R. Jacobs | L335 |
| Substance P and neurokinin-1 receptor expression by intrinsic airway neurons in the rat J. J. Pérez Fontán, D. N. Cortright, J. E. Krause, C. R. Velloff, V. V. Karpitskyi, T. W. Carver, Jr., S. D. Shapiro, and B. N. Mora | L344 |
| Brief perinatal hypoxia increases severity of pulmonary hypertension after reexposure to hypoxia in infant rats JR. Tang, T. D. Le Cras, K. G. Morris, Jr., and S. H. Abman | L356 |
| Pulmonary-specific expression of SP-D corrects pulmonary lipid accumulation in SP-D gene-targeted mice J. H. Fisher, V. Sheftelyevich, YS. Ho, S. Fligiel, F. X. McCormack, T. R. Korfhagen, J. A. Whitsett, and M. Ikegami | L365 |
| Estradiol improves pulmonary heriodynamics and vascular remodeling in perinatal pulmonary hypertension T. A. Parker, D. D. Ivy, H. L. Galan, T. R. Grover, J. P. Kinsella, and S. H. Abman | L374 |
| Hepatocyte growth factor is elevated in chronic lung injury and inhibits surfactant metabolism J. Vivekananda, V. Awasthi, S. Awasthi, D. B. Smith, and R. J. King | L382 |
| Maturational differences in hyperoxic AP-1 activation in rat lung G. Yang, A. Madan, and P. A. Dennery | L393 |
| Oxygen induction of epithelial Na ⁺ transport requires heme proteins B. Rafti, C. Coutinho, G. Otulakowski, and H. O'Brodovich | L399 |

RAPID COMMUNICATION

Hypoxia induces hexokinase II gene expression in human lung cell line A549
S. R. Riddle, A. Ahmad, S. Ahmad, S. S. Deeb, M. Malkki, B. K. Schneider,
C. B. Allen, and C. W. White

L407

No. 3. MARCH 2000

INVITED REVIEW

Polyamines in the lung: polyamine uptake and polyamine-linked pathological or toxicological conditions

P. H. M. Hoet and B. Nemery

L417

L434

L443

L453

L460

L469

L477

L485

L492

L512

L552

Mechanism of hypoxic pulmonary vasoconstriction involves ET_A receptor-mediated inhibition of K_{ATP} channel

K. Sato, Y. Morio, K. G. Morris, D. M. Rodman, and I. F. McMurtry

Lamellar body membrane turnover is stimulated by secretagogues

S. R. Bates, J.-Q. Tao, S. Schaller, A. B. Fisher, and H. Shuman

Influence of growth hormone on the lung growth response to tracheal obstruction in fetal sheep

L. Nardo, I. R. Young, and S. B. Hooper

Pulmonary arterial smooth muscle cells modulate cytokine- and LPS-induced

Pulmonary arterial smooth muscle cells modulate cytokine- and LPS-induced cytotoxicity in endothelial cells

B. A. Johnson, B. R. Pitt, and P. Davies

Interstrain variation in murine susceptibility to inhaled acid-coated particles Y. Ohtsuka, R. W. Clarke, W. Mitzner, K. Brunson, G. J. Jakab, and S. R. Kleeberger

Identification of functional TTF-1 and Sp1/Sp3 sites in the upstream promoter region of rabbit SP-B gene

R. Margana, K. Berhane, M. N. Alam, and V. Boggaram

Effect of bradykinin on membrane properties of guinea pig bronchial parasympathetic

ganglion neurons
R. Kajekar and A. C. Myers

 $O_2\text{-evoked}$ regulation of HIF-1 α and NF- κB in perinatal lung epithelium requires glutathione biosynthesis

J. J. E. Haddad and S. C. Land

Targeted gene delivery to pulmonary endothelium by anti-PECAM antibody
S. Li, Y. Tan, E. Viroonchatapan, B. R. Pitt, and L. Huang

L504

Immunopathology of a two-hit murine model of acid aspiration lung injury J. A. Nemzek, D. R. Call, S. J. Ebong, D. E. Newcomb, G. L. Bolgos, and D. G. Remick

S-nitrosoglutathione-induced decrease in calcium sensitivity of airway smooth muscle
C. M. Pabelick, D. O. Warner, W. J. Perkins, and K. A. Jones

L521

Mesothelial cell apoptosis is confirmed in vivo by morphological change in cytokeratin distribution

E. Marchi, W. Liu, and V. C. Broaddus

L528

Role of the Na/H antiport in pH-dependent cell death in pulmonary artery endothelial cells

M. Cutaia, K. Tollefson, J. Kroczynski, N. Parks, and S. Rounds

L536

IGFBP-3 mediates TGF-β1-induced cell growth in human airway smooth muscle cells

P. Cohen, R. Rajah, J. Rosenbloom, and D. J. Herrick

L545

p53-independent induction of GADD45 and GADD153 in mouse lungs exposed to hyperoxia

MA O'Reilly R. J. Staversky R. H. Wathing W. M. Maniscalco

M. A. O'Reilly, R. J. Staversky, R. H. Watkins, W. M. Maniscalco, and P. C. Keng

| Effects of dexamethasone on rhinovirus infection in cultured human tracheal epithelial cells T. Suzuki, M. Yamaya, K. Sekizawa, N. Yamada, K. Nakayama, S. Ishizuka, M. Kamanaka, T. Morimoto, Y. Numazaki, and H. Sasaki | L560 |
|--|-------|
| Lipopolysaccharide induces functional ICAM-1 expression in rat alveolar epithelial cells in vitro | 2500 |
| C. Madjdpour, B. Oertli, U. Ziegler, J. M. Bonvini, T. Pasch, and B. Beck-Schimmer | L572 |
| Internalized SP-A and lipid are differentially resecreted by type II pneumocytes H. Wissel, S. Zastrow, E. Richter, and P. A. Stevens | L580 |
| MCP-1 in pleural injury: CCR2 mediates haptotaxis of pleural mesothelial cells N. Nasreen, K. A. Mohammed, G. Galffy, M. J. Ward, and V. B. Antony | L591 |
| P. carinii induces selective alterations in component expression and biophysical activity of lung surfactant | 1 700 |
| E. N. Atochina, M. F. Beers, S. T. Scanlon, A. M. Preston, and J. M. Beck Cellular disposition of transported polyamines in hypoxic rat lung and pulmonary arteries | L599 |
| P. Babal, S. M. Manuel, J. W. Olson, and M. N. Gillespie | L610 |
| Fas cross-linking induces apoptosis in human airway smooth muscle cells K. J. Hamann, J. E. Vieira, A. J. Halayko, D. Dorscheid, S. R. White, S. M. Forsythe, B. Camoretti-Mercado, K. F. Rabe, and J. Solway | L618 |
| RAPID COMMUNICATION | |
| Construction and characterization of a chimeric receptor containing the cytoplasmic domain of MUC1 mucin D. Meerzaman, P. X. Xing, and K. C. Kim | L625 |
| Adenoviral E3-14.7K protein in LPS-induced lung inflammation K. S. Harrod, A. D. Mounday, and J. A. Whitsett | L631 |
| K. S. Harrod, A. D. Mounday, and J. A. Whitsett Possible role of ROS as mediators of hypoxia-induced ion transport inhibition of alveolar epithelial cells | L631 |
| W. Heberlein, R. Wodopia, P. Bärtsch, and H. Mairbäurl | L640 |
| Transcriptional regulation and structural organization of the human cytosolic phospholipase A_2 gene M . Dolan-O'Keefe, V. Chow, J. Monnier, G. A. Visner, and H. S. Nick | L649 |
| The potential of various lipopolysaccharides to release IL-8 and G-CSF S. Koyama, E. Sato, H. Nomura, K. Kubo, M. Miura, T. Yamashita, S. Nagai, | L049 |
| and T. Izumi IL-10 reduces Th2 cytokine production and eosinophilia but augments airway reactivity | L658 |
| in allergic mice M. R. Van Scott, J. P. Justice, J. F. Bradfield, E. Enright, A. Sigounas, and S. Sur | L667 |
| Human neutrophil elastase releases two pools of mucinlike glycoconjugate from tracheal submucosal gland cells T. M. Dwyer and J. M. Farley | L675 |
| Residual oil fly ash and charged polymers activate epithelial cells and nociceptive sensory neurons | |
| M. Oortgiesen, B. Veronesi, G. Eichenbaum, P. F. Kiser, and S. A. Simon | L683 |
| Antioxidant defense mechanisms of human mesothelioma and lung adenocarcinoma cells K. Järvinen, P. Pietarinen-Runtti, K. Linnainmaa, K. O. Raivio, C. M. Krejsa, T. Kavanagh, and V. L. Kinnula | L696 |
| Phorbol ester-induced U-937 differentiation: effects on integrin α_5 gene transcription B. K. Boles, J. Ritzenthaler, T. Birkenmeier, and J. Roman | L703 |

| Surfactant protein A prevents silica-mediated toxicity to rat alveolar macrophages R. W. Spech, P. Wisniowski, D. L. Kachel, J. R. Wright, and W. J. Martin II | L713 |
|--|------|
| Increased production of nitrotyrosine in lung tissue of rats with radiation-induced acute lung injury | |
| C. Tsuji, S. Shioya, Y. Hirota, N. Fukuyama, D. Kurita, T. Tanigaki, Y. Ohta, and H. Nakazawa | L719 |
| Effect of erythromycin on ATP-induced intracellular calcium response in A549 cells DM. Zhao, HH. Xue, K. Chida, T. Suda, Y. Oki, M. Kanai, C. Uchida, A. Ichiyama, and H. Nakamura | L726 |
| Cloning and expression of guinea pig TIMP-2. Expression in normal and hyperoxic lung injury | |
| J. Meléndez, V. Maldonado, C. D. Bingle, M. Selman, and A. Pardo | L737 |
| In situ localization and regulation of thromboxane A_2 synthase in normal and LPS-primed lungs | |
| L. Ermert, M. Ermert, HR. Duncker, F. Grimminger, and W. Seeger | L744 |
| Ovine surfactant protein cDNAs: use in studies on fetal lung growth and maturation after prolonged hypoxemia G. A. Braems, LJ. Yao, K. Inchley, A. Brickenden, V. K. M. Han, A. Grolla, | T |
| J. R. G. Challis, and F. Possmayer | L754 |
| cDNA cloning of ovine pulmonary SP-A, SP-B, and SP-C: isolation of two different sequences for SP-B | |
| S. M. Pietschmann and U. Pison | L765 |
| Inhaled carbon monoxide does not cause pulmonary vasodilation in the late-gestation fetal lamb | |
| T. R. Grover, R. L. Rairigh, J. P. Zenge, S. H. Abman, and J. P. Kinsella | L779 |
| Developmental changes in endothelin expression and activity in the ovine fetal lung D. D. Ivy, T. D. Le Cras, T. A. Parker, J. P. Zenge, M. Jakkula, N. E. Markham, J. P. Kinsella, and S. H. Abman | L785 |
| Immunotargeting of glucose oxidase to endothelium in vivo causes oxidative vascular | |
| injury in the lungs M. Christofidou-Solomidou, G. G. Pietra, C. C. Solomides, E. Arguiris, D. Harshaw, G. A. Fitzgerald, S. M. Albelda, and V. R. Muzykantov | L794 |
| Expression of heme oxygenase-1 in the lung in chronic hypoxia M. S. Carraway, A. J. Ghio, J. D. Carter, and C. A. Piantadosi | L806 |
| Cell-specific differences in ET-1 system in adjacent layers of main pulmonary artery. | |
| | L813 |
| | |
| in adult rats T. D. Le Cras, N. E. Markham, K. G. Morris, C. R. Ahrens, I. F. McMurtry, and S. H. Abman | L822 |
| Binding and uptake of surfactant protein D by freshly isolated rat alveolar type II cells J. F. Herbein, J. Savov, and J. R. Wright | L830 |
| Surfactant-associated protein Ainhibits LPS-induced cytokine and nitric oxide | |
| P. Borron, J. C. McIntosh, T. R. Korfhagen, J. A. Whitsett, J. Taylor, and J. R. Wright | L840 |
| Biophysical properties and molecular characterization of amiloride-sensitive sodium | |
| A. Lazrak, A. Samanta, and S. Matalon | L848 |
| A new source of ET-1 E. Tchekneva, M. L. Lawrence, and B. Meyrick Neonatal dexamethasone treatment increases the risk for pulmonary hypertension in adult rats T. D. Le Cras, N. E. Markham, K. G. Morris, C. R. Ahrens, I. F. McMurtry, and S. H. Abman Binding and uptake of surfactant protein D by freshly isolated rat alveolar type II cells J. F. Herbein, J. Savov, and J. R. Wright Surfactant-associated protein A inhibits LPS-induced cytokine and nitric oxide production in vivo P. Borron, J. C. McIntosh, T. R. Korfhagen, J. A. Whitsett, J. Taylor, and J. R. Wright Biophysical properties and molecular characterization of amiloride-sensitive sodium channels in A549 cells | L822 |

SPECIAL COMMUNICATION

| A method for measuring the oxygen consumption of intact cell monolayers | |
|---|------|
| K. Mamchaoui and G. Saumon | L858 |

EDITORIAL

| EDITORIAL | |
|--|-------|
| Publishing in the journals of the APS: Why are authors charged fees? D. J. Benos, L. G. Navar, and M. Reich | L865 |
| INVITED REVIEW | |
| Aquaporin water channels and lung physiology A. S. Verkman, M. A. Matthay, and Y. Song | L867 |
| Lipopolysaccharide induces relaxation in lung pericytes by an iNOS-independent mechanism C. L. Speyer, C. P. Steffes, J. G. Tyburski, and J. L. Ram | L880 |
| Histamine alters endothelial barrier function at cell-cell and cell-matrix sites A. B. Moy, M. Winter, A. Kamath, K. Blackwell, G. Reyes, I. Giaever, C. Keese, and D. M. Shasby | L888 |
| NO ⁺ but not NO radical relaxes airway smooth muscle via cGMP-independent release of internal Ca ²⁺ L. J. Janssen, M. Premji, H. Lu-Chao, G. Cox, and S. Keshavjee | L899 |
| Increased expression of inflammatory mediators in small-airway epithelium | 12000 |
| from tobacco smokers H. Takizawa, M. Tanaka, K. Takami, T. Ohtoshi, K. Ito, M. Satoh, Y. Okada, F. Yamasawa, and A. Umeda | L906 |
| Introduction of the interleukin-10 gene into mice inhibited bleomycin-induced lung | |
| injury in vivo T. Arai, K. Abe, H. Matsuoka, M. Yoshida, M. Mori, S. Goya, H. Kida, K. Nishino, T. Osaki, I. Tachibana, Y. Kaneda, and S. Hayashi | L914 |
| $\mathrm{ET_A}$ -receptor blockade and $\mathrm{ET_B}$ -receptor stimulation in experimental congenital diaphragmatic hernia B. Thébaud, P. De Lagausie, D. Forgues, Y. Aigrain, JC. Mercier, and A. T. Dinh-Xuan | L923 |
| Human SP-C gene sequences that confer lung epithelium-specific expression in transgenic mice S. W. Glasser, M. S. Burhans, S. K. Eszterhas, M. D. Bruno, and T. R. Korfhagen | L933 |
| Human SP-A protein variants derived from one or both genes stimulate TNF-α production in the THP-1 cell line | L946 |
| G. Wang, D. S. Phelps, T. M. Umstead, and J. Floros Retinoic acid treatment partially rescues failed septation in rats and in mice | 1.946 |
| G. D. Massaro and D. Massaro | L955 |
| Plasma proteins modified by tyrosine nitration in acute respiratory distress syndrome M. D. Gole, J. M. Souza, I. Choi, C. Hertkorn, S. Malcolm, R. F. Foust III, B. Finkel, P. N. Lanken, and H. Ischiropoulos | L961 |
| Mediators of alkalosis-induced relaxation of piglet pulmonary veins $\it T.R. Halla, J.A. Madden, and J.B. Gordon$ | L968 |
| Mechanical strain and dexamethasone selectively increase surfactant protein C and tropoelastin gene expression | 1.074 |
| T. Nakamura, M. Liu, E. Mourgeon, A. Slutsky, and M. Post Vascular remodeling and ET-1 expression in rat strains with different responses | L974 |
| to chronic hypoxia J. I. Aguirre, N. W. Morrell, L. Long, P. Clift, P. D. Upton, J. M. Polak, and M. R. Wilkins | L981 |
| KGF pretreatment decreases B7 and granzyme B expression and hastens repair in lungs of mice after allogeneic BMT A. Panoskaltsis-Mortari, D. H. Ingbar, P. Jung, I. Y. Haddad, P. B. Bitterman, O. D. Wangensteen, C. L. Farrell, D. L. Lacey, and B. R. Blazar | L988 |
| Angiogenesis and morphogenesis of murine fetal distal lung in an allograft model M. A. Schwarz, F. Zhang, J. E. Lane, S. Schachtner, Y. Jin, G. Deutsch, V. Starnes, and B. R. Pitt | L1000 |

| | Perflubron attenuates neutrophil adhesion to activated endothelial cells in vitro C. M. Woods, G. Neslund, E. Kornbrust, and S. F. Flaim | L1008 |
|----------|---|-------|
| | In vitro cellular effects of perfluorochemicals correlate with their lipid solubility V. V. Obraztsov, G. G. Neslund, E. S. Kornbrust, S. F. Flaim, and C. M. Woods | L1018 |
| | Carbon dioxide enhances nitration of surfactant protein A by activated alveolar macrophages | |
| | S. Zhu, K. F. Basiouny, J. P. Crow, and S. Matalon | L1025 |
| | Sodium nitroprusside augments human lung fibroblast collagen gel contraction independently of NO-cGMP pathway X. D. Liu, C. M. Skold, T. Umino, J. R. Spurzem, D. J. Romberger, and S. I. Rennard | L1032 |
| | Amiodarone induces apoptosis of human and rat alveolar epithelial cells in vitro R. Bargout, A. Jankov, E. Dincer, R. Wang, T. Komodromos, O. Ibarra-Sunga, G. Filippatos, and B. D. Uhal | L1032 |
| | TRAIL expression in vascular smooth muscle B. R. Gochuico, J. Zhang, B. Y. Ma, A. Marshak-Rothstein, and A. Fine | L1045 |
| | Diminished injury in hypotransferrinemic mice after exposure to a metal-rich particle A. J. Ghio, J. D. Carter, J. H. Richards, K. M. Crissman, H. H. Bobb, and F. Yang | L1051 |
| | Protein phosphatase inhibitors arrest cell cycle and reduce branching morphogenesis | |
| | in fetal rat lung cultures B. K. Taylor, T. D. Stoops, and A. D. Everett | L1062 |
| | Alterations of nitric oxide synthase expression and activity during rat | |
| | lung transplantation M. Liu, L. Tremblay, S. D. Cassivi, XH. Bai, E. Mourgeon, A. F. Pierre, A. S. Slutsky, M. Post, and S. Keshavjee | L1071 |
| | Ablation of tumor necrosis factor receptor type I (p55) alters oxygen-induced lung injury G. S. Pryhuber, D. P. O'Brien, R. Baggs, R. Phipps, H. Huyck, I. Sanz, and M. H. Nahm | L1082 |
| | Selective restoration of calcium coupling to muscarinic M_3 receptors in contractile cultured airway myocytes $R.\ W.\ Mitchell,\ A.\ J.\ Halayko,\ S.\ Kahraman,\ J.\ Solway,\ and\ M.\ E.\ Wylam$ | L1091 |
| | RAPID COMMUNICATION | |
| | Dexamethasone potentiates high-affinity $\beta\text{-agonist}$ binding and G_{α} protein expression in airway smooth muscle K. Kalavantavanich and C. M. Schramm | L1101 |
| No. 6 JU | NE 2000 | |
| | Protein kinase C - α mediates endothelial barrier dysfunction induced by TNF- α T. Ferro, P. Neumann, N. Gertzberg, R. Clements, and A. Johnson | L1107 |
| | Characterization of mucins from cultured normal human tracheobronchial epithelial cells D. J. Thornton, T. Gray, P. Nettesheim, M. Howard, J. S. Koo, and J. K. Sheehan | L1118 |
| | Increased CD44 expression in human bronchial epithelial repair after damage or plating at low cell densities | |
| | SH. Leir, J. E. Baker, S. T. Holgate, and P. M. Lackie | L1129 |
| | Tyrosine kinase-dependent calcium signaling in airway smooth muscle cells B. Tolloczko, F. C. Tao, M. E. Zacour, and J. G. Martin | L1138 |
| | Autocrine cytokine signaling mediates effects of rhinovirus on airway responsiveness M. M. Grunstein, H. Hakonarson, N. Maskeri, and S. Chuang | L1146 |
| | Intrinsic ICAM-1/LFA-1 activation mediates altered responsiveness of atopic asthmatic airway smooth muscle M. M. Grunstein, H. Hakonarson, N. Maskeri, C. Kim, and S. Chuang | L1154 |
| | M. M. Granotetti, H. Hatoma Son, IV. Muskert, C. Kim, and S. Chuang | 11104 |

| Distinct changes in pulmonary surfactant homeostasis in common β-chain- and GM-CSF-deficient mice J. A. Reed, M. Ikegami, L. Robb, C. G. Begley, G. Ross, and J. A. Whitsett | L1164 |
|---|-------|
| Augmentation of LTC_4 synthesis in human eosinophils caused by CD3-stimulated Th2-like cells in vitro | |
| N. M. Muñoz, G. A. van Seventer, R. T. Semnani, and A. R. Leff Increased lung expansion alters the proportions of type I and type II alveolar epithelial | L1172 |
| cells in fetal sheep S. Flecknoe, R. Harding, G. Maritz, and S. B. Hooper | L1180 |
| Modification of transepithelial ion transport in human cultured bronchial epithelial cells by interferon- γ $L.~J.~V.~Galietta,~C.~Folli,~C.~Marchetti,~L.~Romano,~D.~Carpani,~M.~Conese,~and~O.~Zegarra-Moran$ | L1186 |
| Endotoxin priming of the cyclooxygenase-2-thromboxane axis in isolated rat lungs M. Ermert, M. Merkle, R. Mootz, F. Grimminger, W. Seeger, and L. Ermert | L1195 |
| Role of calpain in hypoxic inhibition of nitric oxide synthase activity in pulmonary endothelial cells | * |
| Y. Su and E. R. Block | L1204 |
| Airway surface liquid composition in mice E. A. Cowley, K. Govindaraju, C. Guilbault, D. Radzioch, and D. H. Eidelman | L1213 |
| Experimental silicosis: a shift to a preferential IFN-γ-based Th1 response in thoracic lymph nodes H. Garn, A. Friedetzky, A. Kirchner, R. Jäger, and D. Gemsa | L1221 |
| Ontogeny and localization of TGF- β type I receptor expression during lung development Y. Zhao, S. L. Young, J. C. McIntosh, M. P. Steele, and R. Silbajoris | L1231 |
| Acid aspiration increases sensitivity to increased ambient oxygen concentrations P. R. Knight, C. Kurek, B. A. Davidson, N. D. Nader, A. Patel, J. Sokolowski, R. H. Notter, and B. A. Holm | L1240 |
| pH-regulated chloride secretion in fetal lung epithelia C. J. Blaisdell, R. D. Edmonds, XT. Wang, S. Guggino, and P. L. Zeitlin | L1248 |
| $Conditional \ Clara\ cell\ ablation\ reveals\ a\ self-renewing\ progenitor\ function\ of\ pulmonary\ neuroendocrine\ cells$ | |
| S. D. Reynolds, K. U. Hong, A. Giangreco, G. W. Mango, C. Guron, Y. Morimoto, and B. R. Stripp | L1256 |
| Molecular responses of rat tracheal epithelial cells to transmembrane pressure B. Ressler, R. T. Lee, S. H. Randell, J. M. Drazen, and R. D. Kamm | L1264 |
| HO-1 expression in type II pneumocytes after transpulmonary gene delivery YH. Weng, A. Tatarov, B. P. Bartos, C. H. Contag, and P. A. Dennery | L1273 |
| Reduced lung endothelial angiotensin-converting enzyme activity in Watanabe hyperlipidemic rabbits in vivo S. E. Orfanos, J. B. Parkerson, X. Chen, E. L. Fisher, C. Glynos, A. Papapetropoulos, R. G. Gerrity, and J. D. Catravas | L1280 |
| Brief hypoxia differentially regulates LPS-induced IL-1 β and TNF- α gene transcription in RAW 264.7 cells | |
| M. M. Ndengele, C. J. Bellone, A. J. Lechner, and G. M. Matuschak Voltage-gated K ⁺ -channel activity in ovine pulmonary vasculature is developmentally regulated | L1289 |
| D. N. Cornfield, C. R. Sagueton, V. A. Porter, I. Harron, F. Rosnik | |

CORRIGENDA

L1297

Volume 277, July 1999 Volume 21, July 1999

I. Y. Haddad, and H. L. Reeve

Pages L113--L118: L. Gao, K. J. Kim, J. R. Yankaskas, and H. J. Forman. "Abnormal glutathione transport in cystic fibrosis airway epithelia." The following data were incorrectly given. On page L115, the legend of Table 1

should read: Activity of GGT in CFT1-LCFSN (CFTR-transfected) cells was 112.8 pmol·min $^{-1}$ ·mg protein $^{-1}$. On page L115, the last line in the left column should read: . . .GGT activity decreased to $<11\,\mathrm{pmol\cdot min}^{-1}$ ·mg protein $^{-1}$ in all cells tested. On page L117, line 11 in the left column should read: . . .it would have required $\sim\!1.3\,\mathrm{h}$ to have degraded. . . .

Volume 278, March 2000 Volume 22, March 2000

Pages L625--L629: D. Meerzaman, P. X. Xing, and K. Chul Kim. "Construction and characterization of a chimeric receptor containing the cytoplasmic domain of MUC1 mucin." On page L628, line 2 in the left column should read: The bands appeared in both of the samples; however, the intensity of the upper band was much greater in the activated sample than in the unactivated sample (Fig. 4A, lanes 3 and 2, respectively).

